

# Multichine 38


*Sport*

Construction: Alumium

This project was developed  
in a partnership with



Main Sail = 46.50 m<sup>2</sup>  
Genoa = 35.10 m<sup>2</sup>  
Gennaker = 70 m<sup>2</sup>  
I = 14.96 m  
J = 4.73 m  
P = 15.40 m  
E = 5.30 m






**MAIN PARTICULARS:**

|                 |                        |
|-----------------|------------------------|
| LOA = 11.60 m   | Min. Draught = 1.50 m  |
| LWL = 11.26 m   | Max. Draught = 2.47m   |
| BREADTH = 4.00m | Displacement = 8100 kg |
|                 | Ballast = 2520 kg      |

# Multichine 38 Sport

This project was developed  
in a partnership with



Construction: Alumium


### MAIN PARTICULARS:

|                 |                        |
|-----------------|------------------------|
| LOA = 11.60 m   | Min. Draught = 1.50 m  |
| LWL = 11.26 m   | Max. Draught = 2.47m   |
| BREADTH = 4.00m | Displacement = 8100 kg |
|                 | Ballast = 2520 kg      |

This project was developed in a partnership with



## Speed Polar Diagram



## TECHNICAL DATA

LOA = 11.60 m (38.1 ft)  
 LWL = 11.26 m (36.9 ft)  
 Beam = 4.00m (13.1 ft)  
 Min. Draught = 1.50 m (4.9 ft)  
 Max. Draught = 2.46m (7.9 ft)  
 Displ. (light) = 8100 kg (17820 lbs)  
 Ballast = 2520 kg (5544 lbs)

Headroom - Saloon = 1.94 m (6.3 ft)  
 - Front Cabin = 1.86 m (6.1 ft)  
 - Aft Cabin = 1.91 m (6.2 ft)  
 - Galley = 1.99 m (6.5 ft)  
 - Shower = 1.91 m (6.2 ft)

Capacity Freshwater = 300 l (79 gal)  
 Capacity Diesel = 160 l (42 gal)

Rig Type - Fractional Sloop  
 Mainsail Area = 46.5 m<sup>2</sup> (500 ft<sup>2</sup>)  
 Genoa Area = 35.1 m<sup>2</sup> (378 ft<sup>2</sup>)  
 Gennaker Area = 70 m<sup>2</sup> (753 ft<sup>2</sup>)  
 IG = 14.96 m (49.1 ft)  
 J = 4.73 m (15.5 ft)  
 P = 15.4 m (50.5ft)  
 E = 5.3 m (17.4 ft)  
 ISP = 16.77 m (55 ft)  
 TPS = 5.77 m (18.9 ft)

Engine: 40hp - 55hp

Construction: Aluminium

## Stability Curve

